

## **MATERIAL SAFETY DATA SHEET**

# Luminophore SFB 450

#### SECTION I.

#### CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade NameLuminophore SFB 450CAS NONot Available for the final preparationEINECS NumberNot AvailableRegistration No.The product is a preparation so the ingredients are pre-registered

Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

#### Application of the substance / the mixture

Used as an optical whitening agent for textiles.

## DETAILS OF THE SUPPLIER OF THE MATERIAL SAFETY DATA SHEET

Manufacturer/Supplier

United Specialities (P) Ltd. 501, Man Excellenza, Opposite Pawan Hans, S.V. Road, Vile Parle (West) Mumbai 400056, INDIA Tel No.: +91-22-26138053/54/55 Fax No.: +91-22-26138056 Laboratory Te No.: +91-22-26285581

#### Further information obtainable from:

Mr. Devansh Valiadvv@unitedspecialities.comMr. Shaunak Mehtashaunak@unitedspecialities.comLaboratorylab@unitedspecialities.com

OR Details: Susainability Support Services (Europe) AB Ideon Science Park, Scheelevagen 17, Beta 5 223 70 lund, Sweden Emergency Telephone Number : Contact details of European importer Emergency Telephone number Telephone number of EU Importer: Opening hours: Other Comments (e.g. language(s) of the phone service): English

#### SECTION II. HAZARDS IDENTIFICATION

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 Eye Irrit. 2 H319 Causes serious eye irritation.

· Label elements

- Labelling according to Regulation (EC) No 1272/2008
  - The product is classified and labelled according to the CLP regulation.

<ul> <li>Hazard pictograms</li> </ul>	GHS07
<ul> <li>Signal word</li> </ul>	Warning

• Hazard statements	H319 Causes serious eye irritation.
Precautionary statements	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after hadling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Additional information

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- Other hazards
- · Results of PBT and vPvB assessment
- PBT : Not applicable.
- vPvB: Not applicable.

#### SECTION III. COMPOSITION AND INFORMATION ON INGREDIENTS

#### · Chemical characterization: Mixture

Description Mixture of substances listed below with nonhazardous additions.

• Dangerous components CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol STOT SE 3, H335	3.75%
CAS: 166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether Eye Dam. 1, H318; • Acute Tox. 4, H302	1.5%
CAS: 69011-36-5	lsotridecaanol, 3-5 EO Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	1.0%

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### SECTION IV. FIRST AID MEASURES

#### Description of first aid measures

· After inhalation

Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Generally the product does not irritate the skin. Wash affected skin with soap and water.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- $\boldsymbol{\cdot}$  Most important symptoms and effects, both acute and delayed

No further relevant information available.

• Information for doctor:

Treat symptomatically and supportively.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION V. FIRE FIGHTING MEASURES

#### Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture : In case of fire, the following can be released: Nitrogen oxides (Nox) Carbon oxides

#### · Advice for firefighters

#### Protective equipment

Wear suitable protective clothing to avoid contact with skin. Wear self contained breathing apparatus for fire fighting if necessary.

#### SECTION VI. ACCIDENTAL RELEASE MEASURES

#### · Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Keep in suitable, closed containers for disposal.

#### · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### SECTION VII. HANDLING AND STORAGE

Precautions for safe handling

No special precautions are necessary if used correctly.

- Information about fire and explosion protection:
  - No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:
  - Store in a cool, dry, well-ventilated area away from incompatible substances.
- Information about storage in one common storage facility: Keep away from any area where the fire hazard may be acute. Outside or detached storage is preferred
- Further information about storage conditions: Keep container tightly sealed.

Specific end use(s)

Used as an optical whitening agent for textiles.

#### SECTION VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

- · Additional information about design of technical facilities:
  - Local exhaust ventilation required plus good work practise. Safety shower. Eye fountain.
- Control parameters

#### • Ingredients with limit values that require monitoring at the workplace:

25322-68-3 Polyethylene glycol (3.75%)

Denmark	TWA 1000 mg/m3,	MAY 2011
Germany	MAK 1000 mg/m3), inhal,	2011
The Netherlands	3 // /	2003
	MAC-TGG 1000 mg/m3,	
Switzerland	MAK-W 1000 mg/m3,	JAN 2011

#### · Exposure Controls

Personal protective equipment:

General protective and hygienic measures:

• Keep away from foodstuffs, beverages and fooodstuffs.

- · Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

#### Respiratory protection

- In case of brief exposure or low pollution use respiratory filter device.
- In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Protection of hands:

#### Use Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/

the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection Tightly sealed goggles

• Body protection Wear appropriate protective clothing to prevent skin contact.

#### SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties	
General Information	
Apperance	
Form	Fluid
Colour	According to product specification
Odour	Characteristic
pH-value	Not Applicable
•	••

Change in Conditions Melting point/Melting range Boiling point/Boiling range Undetermined.

Undetermined.



Flash point

Not applicable

Flammability (solid, gaseous) Not applicable as the state is different.

Self-igniting Danger of explosion Vapour pressure	Product is not self igniting. Product does not present an explosion hazard Not applicable
Density	Not determined
Solubility in/Miscibility with water	Miscible
Partition coefficient (n-octanol/water)	No determined
Viscosity: Dynamic	Not determined
Other Information	No further relevant information available.

#### SECTION X. STABILITY AND REACTIVITY

- Reactivity: Stable at ambient temperature and under normal conditions of use.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions
- No dangerous reactions known.
- · Conditions to avoid
  - No further relevant information available.
- Incompatible materials
  - Heat, flame, strong oxidizers, strong acids
- Hazardous decomposition products
  - Hazardous decomposition products formed under fire conditions Carbon oxides, nitrogen oxides (NOx)

#### SECTION XI: TOXICOLOGICAL INFORMATION

- · Information on toxicological effects
  - n on toxicological effects
- · Acute toxicity:
- LD/LC50 values relevant for classification:

166736-08-9 Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether

Oral	LD50	500 mg/kg (rat)
69011-36-5 Isotridecaanol,	3-5 EO	
Oral	Ld50	> 2000 mg/kg (rat)

#### Primary irritant effect:

Skin corrosion/irritation Test Substance: CAS No. 166736-08-9 Type of Test: OECD Guideline 404 Rote of exposure: Administration onto the skin Species observed: Rodent - rabbit Result: Non-irritant • Serious eye damage/irritation Causes serious eye irritation. Test Substance: CAS No. 166736-08-9 Type of Test: OECD Guideline 405 Rote of exposure: Administration into the eye Species observed: Rodent - rabbit Result: Risk of serious damage to eyes

Test Substance: CAS No. 69011-36-5 Type of Test: OECD Guideline 405 Rote of exposure: Administration into the eye Species observed: Rodent - rabbit

Result: Highly irritating

- $\cdot$  Respiratory or skin sensitisation No sensitising effects known.
- Repeated dose toxicity No studies available for the product.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot$  Germ cell mutagenicity No data available
- · Carcinogenicity No data available
- · Reproductive toxicity No data available
- · STOT-single exposure No data available
- $\cdot$  STOT-repeated exposure No data available
- $\cdot$  Aspiration hazard No data available



#### **SECTION XII.**

#### **ECOLOGICAL INFORMATION**

Aquatic Toxicity 69011-36-5 Isotridecaanol, 3-5 EO EC20 (72hr) 0.979 mg/L (Desmodesmus subspicatus)

• Persistence and Degradability : No further relevant information available.

· Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

• Other adverse effects No further relevant information available.

#### SECTION XIII.

**DISPOSAL CONSIDERATIONS** 

### Waste treatment methods

Recommendation

If utilisation or recycling of the product is not possible, it should disposed off according to the local regulations and laws, e.g. by incineration in a suitable plant

• European waste catalogue 04 02: Wastes from the textile industry

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION XIV.	TRANSPORTATION INFORMATION
· UN-Number	
$\cdot$ ADR, ADN, IMDG, IATA	Not Applicable
$\cdot$ UN proper shipping name	
· ADR, ADN, IMDG, IATA	NotApplicable
• Transport hazard class(es)	
· ADR, ADN, IMDG, IATA Class	Not Applicable
<ul> <li>Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Not Applicable
· ADR, IMDG, IATA	Not Applicable
$\cdot$ Environmental hazards	Not Applicable
$\cdot$ Special precautions for use	Not applicable
<ul> <li>Transport in bulk according to Annex II of MARPOL</li> </ul>	
and the IBC Code	Not applicable
<ul> <li>UN "Model Regulation"</li> </ul>	Not applicable

#### **SECTION XV.**

**REGULATORY INFORMATION** 

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation. GHS07
- · Hazard pictograms

 Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.



#### · National regulations:

- Other regulations, limitations and prohibitive regulations User to follow national laws and regulations.
- Substances of very high concern (SVHC) according to REACH, Article 57

The ingredients of preparation are not listed as SVHC.

#### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION XVI. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

#### · Department issuing MSDS:

- Product safety department.
- · Contact:
  - Mr. Devansh Valia : dvv@unitedspecialities.com
  - Mr. Shaunak Mehta : shaunak@unitedspecialities.com

#### Laboratory: lab@unitedspecialities.com

#### ABBREVIATIONS AND ACRONYMS:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/ EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

European Waste Catalogue And Hazardous Waste List Data from ECHA website for CAS: 69011-36-5 http://echa.europa.eu/registration-dossier/-/registered-dossier/13803/1 MSDS of BASF Corporation for Lutensol XL 90

#### \* Data compared to the previous version altered.

Section 1: Identification of the substance/mixture and of the company/undertaking

- Section 3: Composition/information of ingredients
- Section 4: First-aid measures.
- Section 5: Fire-fighting measures
- Section 6: Accidental Release measures
- Section 7: Handling and storage.
- Section 8: Exposure Controls/Personal protection.
- Section 9: Physical and Chemical properties.
- Section 10: Stability and Reactivity.
- Section 11: Toxicological Information.
- Section 12: Ecological Information.
- Section 13: Disposal consideration.
- Section 15: Regulatory information
- Section 16: Other information.

